

1  
210095  
Tel: 025-84396485  
Email: huangxs@njau.edu.cn



1983 /  
DNA  
20 28 SCI 20  
8 6.0 Plant Physiology Plant  
Biotechnology Journal Plant Cell and Environment Bioinformatics Journal of  
Experimental Botany Molecular Cell Genome Research Genome Biology Frontiers  
in Plant Science BMC Genomics BMC Plant Biology Plant Science  
SCI 521 7  
Plant Biotechnology Journal 60

2006.09-2011.11

2002.09-2006.06

2019.01-

2014.01-2018.12

2015.03-2016.03

2011.12-2013.12

8

3

1

2019 SRT6 3 SCI

2

2 11 3  
2 2  
6 SCI

2017

2016 2013  
2017 2013 5/11  
2016-2017 12/17  
2018-2019 6/16  
2014 16/25

1

31872070 PbrNHX2

2

31301758 PubHLH1

3

2018YFD1000303

8		KY TZ201401		
9		KYZ201607	PbrNHX1	
10		2013T60545	PuICE1	
11		2012M521092	ICE1	
12		1306J0538	NO	
13		S20190040	-	PbBAM3
14		31830081		

/

- 1 A Basic Helix-Loop-Helix Transcription Factor, PtrbHLH, of *Poncirus trifoliata* Confers Cold Tolerance and Modulates Peroxidase-Mediated Scavenging of Hydrogen Peroxide. *Plant Physiology* 2013 162 2 1178-1194. (IF5-yr=7.428) ( )
- 2 PbrMYB21, a novel MYB Protein of *Pyrus betulaefolia*, functions in drought tolerance and modulates polyamine levels by regulating arginine decarboxylase gene. *Plant Biotechnology Journal*, 2017, 15(9):1186-1203. IF5-yr=6.657
- 3 A WRKY transcription factor PbrWRKY53 from *Pyrus betulaefolia* is involved in drought tolerance and AsA accumulation. *Plant Biotechnology Journal*, 2019, 17(9):1770-1787. IF5-yr=6.657
- 4 A novel MYB Transcription Factor regulates AsA synthesis and affects cold tolerance. *Plant Cell and Environment*, 2019, 42(3):832-845. IF5-yr=6.555
- 5 ViewBS: a powerful toolkit for visualization of high-throughput bisulfite sequencing data, 2017, *Bioinformatics*, 34(4):708-709. IF5-yr=8.044 ( )
- 6 ICE1 of *Poncirus trifoliata* functions in cold tolerance by modulating polyamine levels through interacting with arginine decarboxylase, *Journal of Experimental*

- Botany 2015, 66 (11):3259-3274. (IF5-yr=6.538) ( )
- 7 Cloning and molecular characterization of a mitogen-activated protein kinase gene from *Poncirus trifoliata* whose ectopic expression confers dehydration/drought tolerance in transgenic tobacco Journal of Experimental Botany, 2011, 62 14 5191-5206. (IF5-yr=6.538) ( )
  - 8 Genome-wide analysis of WRKY transcription factors in white pear (*Pyrus bretschneideri*) reveals evolution and patterns under drought stress. BMC Genomics 2015, 16(1):1104. (IF5-yr=4.284) ( )
  - 9 Genome-wide analyses and expression patterns under abiotic stress of NAC transcription factors in white pear (*Pyrus bretschneideri*). BMC Plant Biology 2019, 19(1):161. (IF5-yr=4.541)
  - 10 Overexpression of PtrABF gene, a bZIP transcription factor isolated from *Poncirus trifoliata*, enhances dehydration and drought tolerance in tobacco via scavenging ROS and modulating expression of stress-responsive genes. BMC Plant Biology, 2010, 10:230. IF5-yr=4.541 ( )
  - 11 Overexpression of a bHLH1 transcription factor of *Pyrus ussuriensis* confers enhanced cold tolerance and increases expression of stress-responsive genes. Frontiers in Plant Science, 2016, 7:441. IF5-yr=4.677 ( )
  - 12 A novel NAC transcription factor, PbeNAC1, of *Pyrus betulifolia* confers cold and drought tolerance via interacting with PbeDREBs and activating the expression of stress-responsive genes. Frontiers in Plant Science, 2017, 8:1049. IF5-yr=4.677
  - 13 The beta-amylase PbrBAM3 from pear (*Pyrus betulaefolia*) regulates soluble sugar accumulation and ROS homeostasis in response to cold stress. Plant Science, 2019, 287:110184. IF5-yr=4.148
  - 14 Overexpression of PbrNHX2 gene, a Na<sup>+</sup>/H<sup>+</sup> antiporter gene isolated from *Pyrus betulaefolia*, confers enhanced tolerance to salt stress via modulating ROS levels. Plant Science, 2019, 285:14-25. IF5-yr=4.148
  - 15 ICE1 of *Pyrus ussuriensis* functions in cold tolerance by enhancing PuDREBa transcriptional levels through interacting with PuHHP1 Scientific Reports 2015, 5:17620. (IF5-yr=4.847) ( )
  - 16 A MADS-box transcription factor of Kuerlexiangli (*Pyrus sinkiangensis* Yu) PsJOINTLESS gene functions in floral organ abscission. Gene, 2018, 642:163-171. IF5-yr=2.984
  - 17 Transcriptomic and evolutionary analyses of white pear (*Pyrus bretschneideri*) -amylase genes reveals their importance for cold and drought stress responses. Gene, 2019, 689:102-113. IF5-yr=2.984